



Nuclias Network Controller

DNH-1000

Key Features

- Manage up to 500 APs and aggregation/edge switches
- Designed for medium to large networks
- On-premise management for enhanced data privacy
- Intuitive user interface
- Traffic reporting and analytics
- Remote configuration and batch configuration
- Configuration backup and restoration
- Online firmware upgrade (APs/switches)
- Multi-tenant and role-based administration
- Searchable and auditable event and change logs
- Multilingual support
- Front desk ticket management











User Benefits



Centralized **Device Management**

Manage devices, schedule configurations, and mass update firmware via one platform



VLAN & **Access Control**

Network segmentation, traffic prioritization, and access policies to enhance security and efficiency



Role-Based Administraion

Assign role-based access and permissions to ensure secure and localized network control

Auto-adjusting channels, power,

and reduces interference

and bandwidth boosts connectivity



Monitoring & Alerts

Generate detailed reports and receive instant alerts from a centralized dashboard



Traffic Reporting & Analytics

Detailed insight to identify trends and optimize network via realtime visualization and reports



Auto RF management and Multi-SSID and Captive **Bandwidth Optimization Portal Authentication**

Set up separate networks for users with secure, customizable logins for guests and employees



Online Firmware Upgrades

Remotely update firmware for the latest features, security, and performance improvements

Technical Specifications

Hardware Design					
Device Interface	• 2.5G Ethernet Port x 1	• USB 3.0 x 1			
LEDs	Power/Status LAN				
Dimensions	190 x 120 x 38 mm				
Weight	640 g				
Power Supply	External, 12V/2A, 100-240V AC-in				
MTBF	> 30,000 hours				
Operating Temperature	0°C to 40°C (32°F to 104°F)				
Storage Temperature	-20°C to 70°C (-4°F to 158°F)				
Operating Humidity	10% to 90% non-condensing				
Storage Humidity	5% to 95% non-condensing				
Certifications	• CE • RoHS • FCC				
Software					
Management System	Nuclias Connect				
Device Management					
Management Scale	Up to 500 devices				
Network Type	Medium/large networks				
Managed Devices	All EAPs, aggregation and edge switches (please refer to supported devices list)				
Device Layer 2/3 Discovery	Layer 2 / Layer 3				
Batch Configuration	√				
Online Firmware Upgrades	√				
AP Reboot Scheduling	√				
Wireless Scheduling	\checkmark				
PoE Scheduling	V				
System Management					
Setup Wizard	√				
Role-Based Administration	\checkmark				
Multi-Site Management	√				
Single Sign On	\checkmark				
REST API Support	\checkmark				
Multilingual	\checkmark				
Configuration Backup & Restore	√				
Network Management					
VLAN Group	√				
MAC ACL Group	√ √				
IGMP Snooping	√ √				
Cable Diagnostics	√ √				
Captive Portal Authentication	Web Redirection Only	External Captive Portal			
Capave rortal Authentication	Web Redirection OnlyLocal DBRemote RadiusLDAPPOP3	External Captive PortalPasscodeMAC AddressClick Through			
MAC Filter	√				
Auto RF Management	\checkmark				
Bandwidth Optimization	\checkmark				
Neighbor AP Detection	√				
Payment Gateway (Paypal)	√ √				



Monitoring	
Dashboard	\checkmark
Network Topology	\checkmark
Floor Plan	\checkmark
Devices List	\checkmark
Clients List	\checkmark
Network Reports	\checkmark
Logs (System/Device/Audit)	\checkmark
Event Alarm and Notification	\checkmark

Supported Devices

Device Type	Technology	Model		HW Version
Access Points	Wi-Fi 7	DAP-E9560		A1
	M: F: 6	• DAP-X2810	• DAP-X3060	A 1
	Wi-Fi 6	• DAP-X2850	• DAP-3060OU	A1
	Wi-Fi 5	• DAP-2662	• DAP-3666	A1
Switch	Aggregation	• DXS-3130-28/28P/32S	• DMS-3130-30PS/30TS	A1
		• DGS-1100- 10MPV2/10MPPV2/16V2/18PV2/24PV2/24V2/26MPV2/26MPPV2		Ax
		• DGS-1100-18PV2		J2
		• DGS-1210-10/10MP/10P/20/26/28/28MP/28P/52/52MP		Fx
	Edge	• DGS-1210-08P/16/24/24P/48		Gx
		• DXS-1210-10TS/10UP/12SC/1	2TC/16TC	B1
		• DMS-1250-10S/10SP/10SPL/12/12TP/18/18P/28/28P		A1
		• DXS-1250-28YP		A1

Connection Diagram



